

# TROTTY 4000

by TELESTAR

e-Scooter



12+

4000  
mAh

max.  
24  
km/h

User age: 12+

Main material:

Steel + Aluminium



The TROTTY 4000 is the true lightweight amongst TELESTAR's new e-scooter models. Despite its low weight of less than 7kg, the TROTTY 4000 delivers a good performance: Powered by a 4000 mAh Li-ion battery, the 250W engine accelerates the TROTTY 4000 to a maximum top speed of 24 km/h\* and provides a maximum range of 12 km\* (\*on level ground). Its full rubber tyres and the suspended front rod guarantee sheer driving fun.

\* The TELESTAR TROTTY 4000 is not licensed for driving on public roads and therefore should be used on private properties only.

## Highlights

- Small-sized, foldable e-scooter featuring display and solid rubber tyres
- 250W motor power with 3 gear ranges
- Top speed 24km/h, maximum range 12km\* (\*on level ground)
- 24V 4400 mAh Li-Ion rechargeable battery with short charging cycle (2 hrs.), charging adapter included
- Solid rubber tyres (5.5' tyre front, 5' rear)
- Adjustable handlebar, applicable for driver sizes from 130 to 200cm
- Maximum driver weight: 100 kg
- Product size: 810 x 420 x 1020 mm
- Product weight: 7,6 kg
- Box size: 885 x 223 x 350 mm
- Gross weight including packaging: 10 kg



## Safety instructions!

- In some countries, cities or states, this product is not approved for use on public roads. Before riding this product, please check the legislation of your country in order to see which vehicles are defined as legal roads.
- Wear appropriate and approved protective clothing: helmet, elbow pads, knee pads, wrist guards.
- Children should use E-Scooter only under supervision of adults
- TELESTAR-DIGITAL GmbH is not liable for any damage or injury caused by the use of E-Scooter.

TROTTY 4000  
Item No.: 100-400



4 024035 100401

**TELESTAR**  
digital tv, multimedia & more

TELESTAR-DIGITAL GmbH  
Am Weiher 14  
D-56766 Ulmen/GERMANY

Telefon +49 - (0) 26 76 / 9 52 00  
Telefax +49 - (0) 26 76 / 9 52 01 00  
E-mail Verkauf@telestar.de

www.telestar.de